



20  
TRILUM





TRILUM


becomes **OMBER** soon



LIGHT AND BUILDING - FRANKFURT 2016 - EXHIBITION



LIGHT AND BUILDING - FRANKFURT 2018 - EXHIBITION



NÁBYTOK A BÝVANIE - NITRA 2019 - EXHIBITION



EUROLUCE - MILAN 2019 - EXHIBITION

# ABOUT US



### **return to nature**

---

Trilium is a brand based on experience. Our engineers and designers transform visions into reality. We draw on decades of combined experience in order to create our unique and prestigious products. The result being the latest lighting technology combined with pure nature to give a feel of harmony and prestige to any interior design.

### **mission**

---

The aim of our brand is to provide reliable products with a focus on detail and quality. Each wooden lamp is made in the hands of our master craftsmen in order to create the perfect the final product. We believe that only a specialist with a trained eye can emphasize on the smallest detail in order to achieve the uncompromisable result we expect from our products.

### **our target**

---

Our priority is 100% customer satisfaction. If you purchase a Trilium brand product, you are bringing nature and light into your home and by choosing LED technology you are guaranteeing quality without compromising comfort.

*„Time spent amongst trees is never time wasted.“*



TRILUM  
SLOVENSKÉ DREVENÉ SVIETIDLÁ

RUCNÉ VYRÁBAVY  
DREVENÝ KORPUŠ

STMIE  
0-10V, D  
RF DIALKO

ROVNOBEŽNÉ  
CELDPOLOHÉ  
SVIETIDLÁ

JEDNODUCHÁ  
MONTÁŽ A ODRŽBA

WOODEN  
SQUARE  
6 8 8

E F E K  
LED, TBC  
145LM/W  
3000K

**INDEX**

WOODEN LAMPS

## ceiling lamps



SQUARE  
page 11



ROUND  
page 17



SLOPE  
page 15



SOFT  
page 21



LINUS  
page 25



LINX  
page 30,32



SPOT  
page 35,37

## recessed lamps



ROUND tilt  
page 23

## suspended lamps



SQUARE hang  
page 13



ROUND hang  
page 19



LINUS hang  
page 27



LINX hang  
page 31,33



SHADOW  
page 49



POT  
page 47



CONE  
page 47



GECONE  
page 47



COCOON  
page 39



NEST  
page 39



KILT  
page 51

## wall lamps



LIINY  
page 41



ROONDY  
page 41

## floor lamps



SLEDGE  
page 45



GRANNY  
page 45

## desk lamps




LANTERN  
page 43



**INDEX**  
ARCHITECTURAL LAMPS



## recessed lamps



## ceiling lamps



## suspended lamps



## track lamps






## woodLED SQUARE 600

OSRAM  
POWER  
SAMSUNG  
LED  
CRI 90+

SAMSUNG  
LED  
120°  
230V  
AC  
IP20  
DALI  
PUSH




code	colour	source	W	K	lm
001-DD009Y <sub>2</sub> S-DA		LED	55W	3000K/4000K/TW	4430/4860lm
001-MM009Y <sub>2</sub> S-DA		LED	55W	3000K/4000K/TW	4430/4860lm
001-CC009Y <sub>2</sub> S-DA		LED	55W	3000K/4000K/TW	4430/4860lm
001-WW009Y <sub>2</sub> S-DA		LED	55W	3000K/4000K/TW	4430/4860lm
001-PP009Y <sub>2</sub> S-DA		LED	55W	3000K/4000K/TW	4430/4860lm

## woodLED SQUARE 900

OSRAM  
POWER  
SAMSUNG  
LED  
CRI 90+

SAMSUNG  
LED  
120°  
230V  
AC  
IP20  
DALI  
PUSH




code	colour	source	W	K	lm
002-DD009Y <sub>2</sub> S-DA		LED	123W	3000K/4000K/TW	10130/11130lm
002-MM009Y <sub>2</sub> S-DA		LED	123W	3000K/4000K/TW	10130/11130lm
002-CC009Y <sub>2</sub> S-DA		LED	123W	3000K/4000K/TW	10130/11130lm
002-WW009Y <sub>2</sub> S-DA		LED	123W	3000K/4000K/TW	10130/11130lm
002-PP009Y <sub>2</sub> S-DA		LED	123W	3000K/4000K/TW	10130/11130lm

## woodLED SQUARE 1200

OSRAM  
POWER  
SAMSUNG  
LED  
CRI 90+

SAMSUNG  
LED  
120°  
230V  
AC  
IP20  
DALI  
PUSH



code	colour	source	W	K	lm
003-DD009Y <sub>2</sub> S-DA		LED	155W	3000K/4000K/TW	14620/15630lm
003-MM009Y <sub>2</sub> S-DA		LED	155W	3000K/4000K/TW	14620/15630lm
003-CC009Y <sub>2</sub> S-DA		LED	155W	3000K/4000K/TW	14620/15630lm
003-WW009Y <sub>2</sub> S-DA		LED	155W	3000K/4000K/TW	14620/15630lm
003-PP009Y <sub>2</sub> S-DA		LED	155W	3000K/4000K/TW	14620/15630lm

### Available accessories



RF dimming set



Bluetooth dimming set




Zigbee dimming set



Casambi dimming set




## woodLED SQUARE Hang 600



code	colour	source	W	K	lm
001-DD9H9Y <sub>2</sub> S-DA		LED	55W	3000K/4000K/TW	4430/4860lm
001-MM9H9Y <sub>2</sub> S-DA		LED	55W	3000K/4000K/TW	4430/4860lm
001-CC9H9Y <sub>2</sub> S-DA		LED	55W	3000K/4000K/TW	4430/4860lm
001-WW9H9Y <sub>2</sub> S-DA		LED	55W	3000K/4000K/TW	4430/4860lm
001-PP9H9Y <sub>2</sub> S-DA		LED	55W	3000K/4000K/TW	4430/4860lm

\*suspension kit not included



## woodLED SQUARE Hang 900



code	colour	source	W	K	lm
002-DD9H9Y <sub>2</sub> S-DA		LED	123W	3000K/4000K/TW	10130/11130lm
002-MM9H9Y <sub>2</sub> S-DA		LED	123W	3000K/4000K/TW	10130/11130lm
002-CC9H9Y <sub>2</sub> S-DA		LED	123W	3000K/4000K/TW	10130/11130lm
002-WW9H9Y <sub>2</sub> S-DA		LED	123W	3000K/4000K/TW	10130/11130lm
002-PP9H9Y <sub>2</sub> S-DA		LED	123W	3000K/4000K/TW	10130/11130lm

\*suspension kit not included


## woodLED SQUARE Hang 1200



code	colour	source	W	K	lm
003-DD9H9Y <sub>2</sub> S-DA		LED	155W	3000K/4000K/TW	14620/15630lm
003-MM9H9Y <sub>2</sub> S-DA		LED	155W	3000K/4000K/TW	14620/15630lm
003-CC9H9Y <sub>2</sub> S-DA		LED	155W	3000K/4000K/TW	14620/15630lm
003-WW9H9Y <sub>2</sub> S-DA		LED	155W	3000K/4000K/TW	14620/15630lm
003-PP9H9Y <sub>2</sub> S-DA		LED	155W	3000K/4000K/TW	14620/15630lm

\*suspension kit not included

### Suspension kit



code	colour
011-DD94000-DA	
011-MM94000-DA	
011-CC94000-DA	
011-WW94000-DA	
011-PP94000-DA	

### Available accessories



Colour cable



RF dimming set



Bluetooth dimming set



Zigbee dimming set




Casambi dimming set



**SLOPE**  
WOODLED LAMPS




woodLED SLOPE 600




code	colour	source	W	K	lm
007-DD0H9Y2S-DA		LED	55W	3000K/4000K/TW	4430/4860lm
007-MM0H9Y2S-DA		LED	55W	3000K/4000K/TW	4430/4860lm
007-CC0H9Y2S-DA		LED	55W	3000K/4000K/TW	4430/4860lm
007-WW0H9Y2S-DA		LED	55W	3000K/4000K/TW	4430/4860lm
007-PP0H9Y2S-DA		LED	55W	3000K/4000K/TW	4430/4860lm

woodLED SLOPE 900



code	colour	source	W	K	lm
008-DD0H9Y2S-DA		LED	123W	3000K/4000K/TW	10130/11130lm
008-MM0H9Y2S-DA		LED	123W	3000K/4000K/TW	10130/11130lm
008-CC20H9Y2S-DA		LED	123W	3000K/4000K/TW	10130/11130lm
008-WW0H9Y2S-DA		LED	123W	3000K/4000K/TW	10130/11130lm
008-PP0H9Y2S-DA		LED	123W	3000K/4000K/TW	10130/11130lm

woodLED SLOPE 1200



code	colour	source	W	K	lm
009-DD0H9Y2S-DA		LED	155W	3000K/4000K/TW	14620/15630lm
009-MM0H9Y2S-DA		LED	155W	3000K/4000K/TW	14620/15630lm
009-CC0H9Y2S-DA		LED	155W	3000K/4000K/TW	14620/15630lm
009-WW0H9Y2S-DA		LED	155W	3000K/4000K/TW	14620/15630lm
009-PP0H9Y2S-DA		LED	155W	3000K/4000K/TW	14620/15630lm

Available accessories



RF dimming set



Bluetooth dimming set



Zigbee dimming set




Casambi dimming set



**ROUND**  
WOODLED LAMPS




woodLED ROUND 600




code	colour	source	W	K	lm
004-DD009Y <sub>2</sub> S-DA		LED	50W	3000K/4000K/TW	4060/4460lm
004-MM009Y <sub>2</sub> S-DA		LED	50W	3000K/4000K/TW	4060/4460lm
004-CC009Y <sub>2</sub> S-DA		LED	50W	3000K/4000K/TW	4060/4460lm
004-WW009Y <sub>2</sub> S-DA		LED	50W	3000K/4000K/TW	4060/4460lm
004-PP009Y <sub>2</sub> S-DA		LED	50W	3000K/4000K/TW	4060/4460lm

woodLED ROUND 900



code	colour	source	W	K	lm
005-DD009Y <sub>2</sub> S-DA		LED	123W	3000K/4000K/TW	10130/11130lm
005-MM009Y <sub>2</sub> S-DA		LED	123W	3000K/4000K/TW	10130/11130lm
005-CC009Y <sub>2</sub> S-DA		LED	123W	3000K/4000K/TW	10130/11130lm
005-WW009Y <sub>2</sub> S-DA		LED	123W	3000K/4000K/TW	10130/11130lm
005-PP009Y <sub>2</sub> S-DA		LED	123W	3000K/4000K/TW	10130/11130lm

woodLED ROUND 1200




code	colour	source	W	K	lm
006-DD009Y <sub>2</sub> S-DA		LED	155W	3000K/4000K/TW	14930/15300lm
006-MM009Y <sub>2</sub> S-DA		LED	155W	3000K/4000K/TW	14930/15300lm
006-CC009Y <sub>2</sub> S-DA		LED	155W	3000K/4000K/TW	14930/15300lm
006-WW009Y <sub>2</sub> S-DA		LED	155W	3000K/4000K/TW	14930/15300lm
006-PP009Y <sub>2</sub> S-DA		LED	155W	3000K/4000K/TW	14930/15300lm

Available accessories



RF dimming set    Bluetooth dimming set    Zigbee dimming set    Casambi dimming set




# ROUND Hang

WOODLED LAMPS

... in Slovakia  
... ng design  
... materials


## woodLED ROUND Hang 600



code	colour	source	W	K	lm
004-DD0H9Y <sub>2</sub> S-DA		LED	50W	3000K/4000K/TW	4060/4460lm
004-MM0H9Y <sub>2</sub> S-DA		LED	50W	3000K/4000K/TW	4060/4460lm
004-CC0H9Y <sub>2</sub> S-DA		LED	50W	3000K/4000K/TW	4060/4460lm
004-WW0H9Y <sub>2</sub> S-DA		LED	50W	3000K/4000K/TW	4060/4460lm
004-PP0H9Y <sub>2</sub> S-DA		LED	50W	3000K/4000K/TW	4060/4460lm

\*suspension kit not included


## woodLED ROUND Hang 900



code	colour	source	W	K	lm
005-DD0H9Y <sub>2</sub> S-DA		LED	123W	3000K/4000K/TW	10130/11130lm
005-MM0H9Y <sub>2</sub> S-DA		LED	123W	3000K/4000K/TW	10130/11130lm
005-CC0H9Y <sub>2</sub> S-DA		LED	123W	3000K/4000K/TW	10130/11130lm
005-WW0H9Y <sub>2</sub> S-DA		LED	123W	3000K/4000K/TW	10130/11130lm
005-PP0H9Y <sub>2</sub> S-DA		LED	123W	3000K/4000K/TW	10130/11130lm

\*suspension kit not included


## woodLED ROUND Hang 1200



code	colour	source	W	K	lm
006-DD0H9Y <sub>2</sub> S-DA		LED	155W	3000K/4000K/TW	14930/15300lm
006-MM0H9Y <sub>2</sub> S-DA		LED	155W	3000K/4000K/TW	14930/15300lm
006-CC0H9Y <sub>2</sub> S-DA		LED	155W	3000K/4000K/TW	14930/15300lm
006-WW0H9Y <sub>2</sub> S-DA		LED	155W	3000K/4000K/TW	14930/15300lm
006-PP0H9Y <sub>2</sub> S-DA		LED	155W	3000K/4000K/TW	14930/15300lm

\*suspension kit not included

## Suspension kit



code	colour
011-DD94000-DA	
011-MM94000-DA	
011-CC94000-DA	
011-WW94000-DA	
011-PP94000-DA	

## Available accessories



Colour cable

RF dimming set

Bluetooth dimming set

Zigbee dimming set


Casambi dimming set



**ROUND Soft**  
WOODLED LAMPS




woodLED SOFT 600



code	colour	source	W	K	lm
034-DD009Y <sub>2</sub> S-DA		LED	50W	3000K/4000K/TW	4060/4460lm
034-MM009Y <sub>2</sub> S-DA		LED	50W	3000K/4000K/TW	4060/4460lm
034-CC009Y <sub>2</sub> S-DA		LED	50W	3000K/4000K/TW	4060/4460lm
034-WW009Y <sub>2</sub> S-DA		LED	50W	3000K/4000K/TW	4060/4460lm
034-PP009Y <sub>2</sub> S-DA		LED	50W	3000K/4000K/TW	4060/4460lm

woodLED SOFT 900



code	colour	source	W	K	lm
035-X <sub>i</sub> X <sub>o</sub> 009Y <sub>2</sub> S-DA		LED	123W	3000K/4000K/TW	10130/11130lm
035-X <sub>i</sub> X <sub>o</sub> 009Y <sub>2</sub> S-DA		LED	123W	3000K/4000K/TW	10130/11130lm
035-X <sub>i</sub> X <sub>o</sub> 009Y <sub>2</sub> S-DA		LED	123W	3000K/4000K/TW	10130/11130lm
035-X <sub>i</sub> X <sub>o</sub> 009Y <sub>2</sub> S-DA		LED	123W	3000K/4000K/TW	10130/11130lm
035-X <sub>i</sub> X <sub>o</sub> 009Y <sub>2</sub> S-DA		LED	123W	3000K/4000K/TW	10130/11130lm

woodLED SOFT 1200



code	colour	source	W	K	lm
036-X <sub>i</sub> X <sub>o</sub> 009Y <sub>2</sub> S-DA		LED	155W	3000K/4000K/TW	14930/15300lm
036-X <sub>i</sub> X <sub>o</sub> 009Y <sub>2</sub> S-DA		LED	155W	3000K/4000K/TW	14930/15300lm
036-X <sub>i</sub> X <sub>o</sub> 009Y <sub>2</sub> S-DA		LED	155W	3000K/4000K/TW	14930/15300lm
036-X <sub>i</sub> X <sub>o</sub> 009Y <sub>2</sub> S-DA		LED	155W	3000K/4000K/TW	14930/15300lm
036-X <sub>i</sub> X <sub>o</sub> 009Y <sub>2</sub> S-DA		LED	155W	3000K/4000K/TW	14930/15300lm

Available accessories




RF dimming set    Bluetooth dimming set    Zigbee dimming set    Casambi dimming set



**ROUND Tilt**  
WOODLED LAMPS




## woodLED ROUND Tilt 600



code	colour	source	W	K	lm
004-DD0T9Y2S-DA		LED	50W	3000K/4000K/TW	4060/4460lm
004-MM0T9Y2S-DA		LED	50W	3000K/4000K/TW	4060/4460lm
004-CC0T9Y2S-DA		LED	50W	3000K/4000K/TW	4060/4460lm
004-WW0T9Y2S-DA		LED	50W	3000K/4000K/TW	4060/4460lm
004-Xx0T9Y2S-DA		LED	50W	3000K/4000K/TW	4060/4460lm

\*recessed kit not included


## woodLED ROUND Tilt 900



code	colour	source	W	K	lm
005-DD0T9Y2S-DA		LED	123W	3000K/4000K/TW	10130/11130lm
005-MM0T9Y2S-DA		LED	123W	3000K/4000K/TW	10130/11130lm
005-CC0T9Y2S-DA		LED	123W	3000K/4000K/TW	10130/11130lm
005-WW0T9Y2S-DA		LED	123W	3000K/4000K/TW	10130/11130lm
005-PP0T9Y2S-DA		LED	123W	3000K/4000K/TW	10130/11130lm

\*recessed kit not included


## woodLED ROUND Tilt 1200



code	colour	source	W	K	lm
006-DD0T9Y2S-DA		LED	155W	3000K/4000K/TW	14930/15300lm
006-MM0T9Y2S-DA		LED	155W	3000K/4000K/TW	14930/15300lm
006-CC0T9Y2S-DA		LED	155W	3000K/4000K/TW	14930/15300lm
006-WW0T9Y2S-DA		LED	155W	3000K/4000K/TW	14930/15300lm
006-PP0T9Y2S-DA		LED	155W	3000K/4000K/TW	14930/15300lm

\*recessed kit not included

### Recessed kit



code	colour	cut out
011-DD94000-DA		Ø 664
011-MM94000-DA		Ø 924
011-CC94000-DA		Ø 1174

### Available accessories



RF dimming set



Bluetooth dimming set



Zigbee dimming set



Casambi dimming set




**LINUS**  
WOODLED LAMPS






woodLED LINUS 1100



code	colour	source	W	K	lm
031-DD009Y <sub>2</sub> S-DA		LED	32W	3000K/4000K/TW	2740/2990lm
031-MM009Y <sub>2</sub> S-DA		LED	32W	3000K/4000K/TW	2740/2990lm
031-CC009Y <sub>2</sub> S-DA		LED	32W	3000K/4000K/TW	2740/2990lm
031-WW009Y <sub>2</sub> S-DA		LED	32W	3000K/4000K/TW	2740/2990lm
031-PP009Y <sub>2</sub> S-DA		LED	32W	3000K/4000K/TW	2740/2990lm

woodLED LINUS 1600





code	colour	source	W	K	lm
032-DD009Y <sub>2</sub> S-DA		LED	48W	3000K/4000K/TW	4110/4480lm
032-MM009Y <sub>2</sub> S-DA		LED	48W	3000K/4000K/TW	4110/4480lm
032-CC009Y <sub>2</sub> S-DA		LED	48W	3000K/4000K/TW	4110/4480lm
032-WW009Y <sub>2</sub> S-DA		LED	48W	3000K/4000K/TW	4110/4480lm
032-PP009Y <sub>2</sub> S-DA		LED	48W	3000K/4000K/TW	4110/4480lm

Available accessories




Presence/light sensor    RF dimming set    Bluetooth dimming set    Zigbee dimming set    Casambi dimming set





code	colour	source	W	K	lm
031-DD0H9Y2S-DA		LED	32W	3000K/4000K/TW	2740/2990lm
031-MM0H9Y2S-DA		LED	32W	3000K/4000K/TW	2740/2990lm
031-CC0H9Y2S-DA		LED	32W	3000K/4000K/TW	2740/2990lm
031-WW0H9Y2S-DA		LED	32W	3000K/4000K/TW	2740/2990lm
031-PP0H9Y2S-DA		LED	32W	3000K/4000K/TW	2740/2990lm


\*suspension kit not included



code	colour	source	W	K	lm
032-DD0H9Y2S-DA		LED	48W	3000K/4000K/TW	4110/4480lm
032-MM0H9Y2S-DA		LED	48W	3000K/4000K/TW	4110/4480lm
032-CC0H9Y2S-DA		LED	48W	3000K/4000K/TW	4110/4480lm
032-WW0H9Y2S-DA		LED	48W	3000K/4000K/TW	4110/4480lm
032-PP0H9Y2S-DA <sub>2</sub>		LED	48W	3000K/4000K/TW	4110/4480lm

\*suspension kit not included

### Suspension kit



code	colour
011-DD94000-DA	
011-MM94000-DA	
011-CC94000-DA	
011-WW94000-DA	
011-PP94000-DA	

### Available accessories



Colour cable



RF dimming set



Bluetooth dimming set



Zigbee dimming set




Casambi dimming set



**LINX**  
WOODLED LAMPS




woodLED LINX 1200




code	colour	source	W	K	lm
048-D20083S-DA-2G		LED	33W	3000K	3780lm
048-D20084S-DA-2G		LED	33W	4000K	4000lm
048-W20083S-DA-2G		LED	33W	3000K	3780lm
048-W20084S-DA-2G		LED	33W	4000K	4000lm

woodLED LINX 1200




code	colour	source	W	K	lm
048-D20083S-DA-4A		LED	52W	3000K	4400lm
048-D20084S-DA-4A		LED	52W	4000K	4800lm
048-W20083S-DA-4A		LED	52W	3000K	4400lm
048-W20084S-DA-4A		LED	52W	4000K	4800lm

woodLED LINX 1200



code	colour	source	W	K	lm
048-D20083S-DA-1G2A		LED	29W	3000K	1890/1100lm
048-D20084S-DA-1G2A		LED	29W	4000K	2000/1200lm
048-W20083S-DA-1G2A		LED	29W	3000K	1890/1100lm
048-W20084S-DA-1G2A		LED	29W	4000K	2000/1200lm

woodLED LINX 1200





code	colour	source	W	K	lm
048-D20083S-DA-1G2S		LED	33W	3000K	1890/1400lm
048-D20084S-DA-1G2S		LED	33W	4000K	2000/1500lm
048-W20083S-DA-1G2S		LED	33W	3000K	1890/1400lm
048-W20084S-DA-1G2S		LED	33W	4000K	2000/1500lm

Available accessories




Bluetooth dimming set Casambi dimming set

woodLED LINX Hang 1200




code	colour	source	W	K	lm
048-D226835-DA-2G1U	■	LED	49W	3000K	3780/2200lm
048-D226845-DA-2G1U	■	LED	49W	4000K	4000/2350lm
048-W226835-DA-2G1U	■	LED	49W	3000K	3780/2200lm
048-W220845-DA-2G	■	LED	49W	4000K	4000/2350lm

woodLED LINX Hang 1200




code	colour	source	W	K	lm
048-D226835-DA-4A1U	■	LED	43W	3000K	2200/2200lm
048-D226845-DA-4A1U	■	LED	43W	4000K	2400/2350lm
048-W226835-DA-4A1U	■	LED	43W	3000K	2200/2200lm
048-W226845-DA-4A1U	■	LED	43W	4000K	2400/2350lm

woodLED LINX Hang 1200



code	colour	source	W	K	lm
048-D226835-DA-1G2A1U	■	LED	46W	3000K	1890/1100lm - 2200lm
048-D226845-DA-1G2A1U	■	LED	46W	4000K	2000/1200lm - 2350lm
048-W226835-DA-1G2A1U	■	LED	46W	3000K	1890/1100lm - 2200lm
048-W226845-DA-1G2A1U	■	LED	46W	4000K	2000/1200lm - 2350lm

woodLED LINX Hang 1200




code	colour	source	W	K	lm
048-D226835-DA-1G2S1U	■	LED	50W	3000K	1890/1400lm - 2200lm
048-D226845-DA-1G2S1U	■	LED	50W	4000K	2000/1500lm - 2350lm
048-W226835-DA-1G2S1U	■	LED	50W	3000K	1890/1400lm - 2200lm
048-W226845-DA-1G2S1U	■	LED	50W	4000K	2000/1500lm - 2350lm

Available accessories




Bluetooth dimming set Casambi dimming set

woodLED LINX 1800




code	colour	source	W	K	lm
049-D20083S-DA-3G		LED	49W	3000K	5670lm
049-D20084S-DA-3G		LED	49W	4000K	6000lm
049-W20083S-DA-3G		LED	49W	3000K	5670lm
049-D20084S-DA-3G		LED	49W	4000K	6000lm

woodLED LINX 1800




code	colour	source	W	K	lm
049-D20083S-DA-6A		LED	78W	3000K	6600lm
049-D20084S-DA-6A		LED	78W	4000K	7200lm
049-W20083S-DA-6A		LED	78W	3000K	6600lm
049-W20084S-DA-6A		LED	78W	4000K	7200lm

woodLED LINX 1800



code	colour	source	W	K	lm
049-D20083S-DA-2G2A		LED	59W	3000K	3780/2200lm
049-D20084S-DA-2G2A		LED	59W	4000K	4000/2400lm
049-W20083S-DA-2G2A		LED	59W	3000K	3780/2200lm
049-W20084S-DA-2G2A		LED	59W	4000K	4000/2400lm

woodLED LINX 1800



code	colour	source	W	K	lm
049-D20083S-DA-2G2S		LED	49W	3000K	3780/1400lm
049-D20084S-DA-2G2S		LED	49W	4000K	4000/1500lm
049-W20083S-DA-2G2S		LED	49W	3000K	3780/1400lm
049-W20084S-DA-2G2S		LED	49W	4000K	4000/1500lm


Available accessories



Bluetooth dimming set Casambi dimming set





woodLED LINX Hang 1800




code	colour	source	W	K	lm
049-D226835-DA-3G2U	■	LED	82W	3000K	5670/4400lm
049-D226845-DA-3G2U	■	LED	82W	4000K	6000/4700lm
049-W226835-DA-3G2U	■	LED	82W	3000K	5670/4400lm
049-W226845-DA-3G2U	■	LED	82W	4000K	6000/4700lm

woodLED LINX Hang 1800




code	colour	source	W	K	lm
049-D226835-DA-6A2U	■	LED	112W	3000K	6600/4400lm
049-D226845-DA-6A2U	■	LED	112W	4000K	7200/4700lm
049-W226835-DA-6A2U	■	LED	112W	3000K	6600/4400lm
049-W226845-DA-6A2U	■	LED	112W	4000K	7200/4700lm

woodLED LINX Hang 1800



code	colour	source	W	K	lm
049-D226835-DA-2G2A2U	■	LED	92W	3000K	3780/2200lm - 4400lm
049-D226845-DA-2G2A2U	■	LED	92W	4000K	4000/2400lm - 4700lm
049-W226835-DA-2G2A2U	■	LED	92W	3000K	3780/2200lm - 4400lm
049-W226845-DA-2G2A2U	■	LED	92W	4000K	4000/2400lm - 4700lm

woodLED LINX Hang 1800



code	colour	source	W	K	lm
049-D226835-DA-2G2S2U	■	LED	83W	3000K	3780/1400lm - 4400lm
049-D226845-DA-2G2S2U	■	LED	83W	4000K	4000/1500lm - 4700lm
049-W226835-DA-2G2S2U	■	LED	83W	3000K	3780/1400lm - 4400lm
049-W226845-DA-2G2S2U	■	LED	83W	4000K	4000/1500lm - 4700lm

Available accessories



Bluetooth dimming set Casambi dimming set



**SPOT Mini**  
WOODLED LAMPS




## woodLED SPOT Single mini




code	colour	source	W	K	lm
015-D2008Y <sub>2</sub> 4-00		LED	8W	3000K/4000K	610/670lm
015-M2008Y <sub>2</sub> 4-00		LED	8W	3000K/4000K	610/670lm
015-C2008Y <sub>2</sub> 4-00		LED	8W	3000K/4000K	610/670lm
015-W2008Y <sub>2</sub> 4-00		LED	8W	3000K/4000K	610/670lm
015-P2008Y <sub>2</sub> 4-00		LED	8W	3000K/4000K	610/670lm

## woodLED SPOT Duo mini



code	colour	source	W	K	lm
016-D2008Y <sub>2</sub> 4-00		LED	2x8W	3000K/4000K	1220/1340lm
016-M2008Y <sub>2</sub> 4-00		LED	2x8W	3000K/4000K	1220/1340lm
016-C2008Y <sub>2</sub> 4-00		LED	2x8W	3000K/4000K	1220/1340lm
016-W2008Y <sub>2</sub> 4-00		LED	2x8W	3000K/4000K	1220/1340lm
016-P2008Y <sub>2</sub> 4-00		LED	2x8W	3000K/4000K	1220/1340lm

## woodLED triple SPOT mini



code	colour	source	W	K	lm
017-D2008Y <sub>2</sub> 4-00		LED	3x8W	3000K/4000K/TW	1830/2010lm
017-M2008Y <sub>2</sub> 4-00		LED	3x8W	3000K/4000K/TW	1830/2010lm
017-C2008Y <sub>2</sub> 4-00		LED	3x8W	3000K/4000K/TW	1830/2010lm
017-W2008Y <sub>2</sub> 4-00		LED	3x8W	3000K/4000K/TW	1830/2010lm
017-P2008Y <sub>2</sub> 4-00		LED	3x8W	3000K/4000K/TW	1830/2010lm

Available accessories



DALI dimmable driver




**SPOT**  
WOODLED LAMPS

## woodLED SPOT Single



code	colour	source	W	K	lm
023-D2009Y <sub>2</sub> 4-00		LED	20W	3000K/4000K	2115/2260lm
023-M2009Y <sub>2</sub> 4-00		LED	20W	3000K/4000K	2115/2260lm
023-C2009Y <sub>2</sub> 4-00		LED	20W	3000K/4000K	2115/2260lm
023-W2009Y <sub>2</sub> 4-00		LED	20W	3000K/4000K	2115/2260lm
023-P2009Y <sub>2</sub> 4-00		LED	20W	3000K/4000K	2115/2260lm

## woodLED SPOT Duo




code	colour	source	W	K	lm
024-D2009Y <sub>2</sub> 2-00		LED	2x20W	3000K/4000K	4230/4520lm
024-M2009Y <sub>2</sub> 2-00		LED	2x20W	3000K/4000K	4230/4520lm
024-C2009Y <sub>2</sub> 2-00		LED	2x20W	3000K/4000K	4230/4520lm
024-W2009Y <sub>2</sub> 2-00		LED	2x20W	3000K/4000K	4230/4520lm
024-P2009Y <sub>2</sub> 2-00		LED	2x20W	3000K/4000K	4230/4520lm

Available accessories





DALI dimmable driver



woodLED NEST 400


230V AC  IP20  1x E27  



code	colour	base	W
045-DDX <sub>s</sub> 1000		1xE27	max. 1x60W
045-WWX <sub>s</sub> 1000		1xE27	max. 1x60W

woodLED NEST 800

230V AC  IP20  3x E27  



code	colour	base	W
046-DDX <sub>s</sub> 1000		3xE27	max. 3x60W
046-WWX <sub>s</sub> 1000		3xE27	max. 3x60W

woodLED COCOON

230V AC  IP20  1x E27  




code	colour	base	W
047-DDX <sub>s</sub> 1000		1xE27	max. 1x60W

Available accessories



E27 bulb



**ROONDY / LIINY**  
WOODLED LAMPS



woodLED ROUNDY 200



code	colour	source	W	K	lm
041-DD0083S		LED	7W	3000K	240lm
041-WW0083S		LED	7W	3000K	240lm

woodLED ROUNDY 280




code	colour	source	W	K	lm
042-DD0083S		LED	13W	3000K	445lm
042-WW0083S		LED	13W	3000K	445lm

woodLED LIINY 680



code	colour	source	W	K	lm
031-DD0083S		LED	32W	3000K	1095lm
031-WW0083S		LED	32W	3000K	1095lm

woodLED LIINY 1280




code	colour	source	W	K	lm
032-DD0083S		LED	48W	3000K	1645lm
032-WW0083S		LED	48W	3000K	1645lm



**LANTERN**  
DESK LAMPS




LANTERN mini




code	colour	base	W	K	lm
151-220082W-BI	□	1xE14	4W	2700K	400lm

LANTERN mini




code	colour	base	W	K	lm
151-110082W-BI	■	1xE14	4W	2700K	400lm

LANTERN mini




code	colour	base	W	K	lm
151-770082W-BI	■	1xE14	4W	2700K	400lm

woodLED SLEDGE



code	colour	source	W	K	lm
040-DD50T8S-BI		LED	50W	1800-5500K	3000lm
040-MM50T8S-BI		LED	50W	1800-5500K	3000lm
040-CC50T8S-BI		LED	50W	1800-5500K	3000lm
040-WW50T8S-BI		LED	50W	1800-5500K	3000lm
040-PP50T8S-BI		LED	50W	1800-5500K	3000lm

woodLED GRANNY



code	colour	base	W
103-BB11000		1xE27	1x60W
103-DD11000		1xE27	1x60W
103-WW22000		1xE27	1x60W
103-IB11000		1xE27	1x60W
103-2W22000		1xE27	1x60W

Available accessories




E27 bulb



woodLED CONE

230V AC IP20 1x E27



code	colour	base	W
101-DD11000		1xE27	max. 1x60W
101-WW22000		1xE27	max. 1x60W
101-ID11000		1xE27	max. 1x60W
101-2D22000		1xE27	max. 1x60W

woodLED POT

230V AC IP20 3x E27




code	colour	base	W
102-DD11000		1xE27	max. 1x60W
102-WW22000		1xE27	max. 1x60W
102-ID11000		1xE27	max. 1x60W
102-2D22000		1xE27	max. 1x60W

woodLED GECONE

CREE LED MW CRI 90+

110° 230V AC IP20 24V DC 24V DC



code	colour	source	W	K	lm
104-BB2293S		LED	32W	3000K	1260lm
104-WW2293S		LED	32W	3000K	1260lm
104-1B2293S		LED	32W	3000K	1260lm

Available accessories




E27 bulb



**SHADOW**  
WOODLED LAMPS




woodLED SHADOW 1000




code	colour	source	W	K	lm
105-1D159TS-BI		LED	18W	2700/3700/5700K	1764-2016lm
105-2W269TS-BI		LED	18W	2700/3700/5700K	1764-2016lm

woodLED SHADOW 1400



code	colour	source	W	K	lm
106-1D159TS-BI		LED	26W	2700/3700/5700K	2548-2912lm
106-2W269TS-BI		LED	26W	2700/3700/5700K	2548-2912lm

woodLED SHADOW 1900



code	colour	source	W	K	lm
107-1D159TS-BI		LED	36W	2700/3700/5700K	3528-4032lm
107-2W269TS-BI		LED	36W	2700/3700/5700K	3528-4032lm



**KILT**  
WOODLED LAMPS





## KILT Large

230V AC  IP20  1x E27  



code	colour	base	W
108-A111000		1xE27	max. 1x60W
108-D222000		1xE27	max. 1x60W





## KILT Medium

230V AC  IP20  1x E27  



code	colour	base	W
109-A111000		1xE27	max. 1x60W
109-D222000		1xE27	max. 1x60W





## KILT Mimi

230V AC  IP20  1x E27  



code	colour	base	W
110-A111000		1xE27	max. 1x60W
110-D222000		1xE27	max. 1x60W

## KILT Pico

230V AC  IP20  1x GU10  



code	colour	base	W
111-A111000		1xGU10	max. 1x50W
111-D222000		1xGU10	max. 1x50W

### Available accessories



E27 bulb



GU10 bulb




**BOX R**  
RECESSED LAMPS



## BOX R mini single


12V AC/DC IP20 1x GU5.3 104x104 5-25 ±30°



code	colour	base	W
203-2200000	■	1xGU5.3	max. 1x50W
203-1100000	□	1xGU5.3	max. 1x50W

## BOX R mini duo


12V AC/DC IP20 2x GU5.3 209x104 5-25 ±30°



code	colour	base	W
204-2200000	■	2xGU5.3	max. 2x50W
204-1100000	□	2xGU5.3	max. 2x50W

## BOX R mini triple


12V AC/DC IP20 3x GU5.3 301x104 5-25 ±30°



code	colour	base	W
205-2200000	■	3xGU5.3	max. 3x50W
205-1100000	□	3xGU5.3	max. 3x50W

## BOX R single


12V AC/DC IP20 1x G53 164x164 5-25 ±30°




code	colour	base	W
206-2200000	■	1xG53/AR111	max. 1x75W
206-1100000	□	1xG53/AR111	max. 1x75W

## BOX R duo

12V AC/DC IP20 2x G53 330x104 5-25 ±30°




code	colour	base	W
207-2200000	■	2xG53/AR111	max. 2x75W
207-1100000	□	2xG53/AR111	max. 2x75W



## VISOR R micro square

CITIZEN  
LED  
CRI 80+

LED  
 60°  
 230V AC  
 IP20  
 300mA  
 DALI  
 35  
 5-25  
 DALI  
 UGR <19




code	colour	source	W	K	lm
222-1100839		LED	1x3W	3000K	300lm

\*dimmable driver available on request

## SCOUT R micro round

CRI 80+

LED  
 45°  
 230V AC  
 IP44  
 700mA  
 DALI  
 44  
 0-20°  
 5-25  
 DALI  
 UGR <19




code	colour	source	W	K	lm
224-1100834		LED	1x3W	3000K	300lm

\*dimmable driver available on request

## DOR R micro round

CRI 80+

LED  
 30°  
 230V AC  
 IP44  
 700mA  
 DALI  
 32  
 5-25  
 DALI  
 UGR <19



code	colour	source	W	K	lm
225-1100833		LED	2.1W	3000K	210lm

\*dimmable driver available on request

### Available accessories



DALI dimmable driver



**TRAY R**  
RECESSED LAMPS




## TRAY R micro duo



code	colour	source	W	K	lm
230-1200835	■	LED	2x2,1W	3000K	420lm

\*dimmable driver available on request


## TRAY R micro quinto



code	colour	source	W	K	lm
231-1200835	■	LED	5x2,1W	3000K	1050lm

\*dimmable driver available on request

## TRAY R micro decimo




code	colour	source	W	K	lm
232-1200835	■	LED	10x2,1W	3000K	2100lm

\*dimmable driver available on request

Available accessories



DALI dimmable driver



## HIDE R mini square

PHILIPS  
DRIVER CITIZEN  
LED CR 85+

CRIZEN LED 50° 230V AC IP44 250mA XENON 83 UGR <19



code	colour	source	W	K	lm
228-1200835	■	LED	1x10W	3000K	950lm

\*dimmable driver available on request

## WINDOW R mini square

230V AC IP40 1x GU10 76x76



code	colour	base	W
213-1100000	■	1xGU10	max. 1x50W

## SPY R mini square

230V AC 1x GU10 83 360° 0-30°



code	colour	base	W
214-1100000	■	1xGU10	max. 1x50W

### Available accessories



GU10 bulb



DALI dimmable driver



**STEALTH / SPY**  
RECESSED LAMPS



## STEALTH R mini round

230V AC  IP20  1x GU10  83  5-25  UGR <19



code	colour	base	W
201-1100000	<input checked="" type="checkbox"/>	1xGU10	max. 1x50W

## WINDOW R mini round

230V AC  IP40  1x GU10  76  5-25  UGR <19



code	colour	base	W
215-1100000	<input checked="" type="checkbox"/>	1xGU10	max. 1x50W

## SPY R mini round

230V AC  IP20  1x GU10  83  360°  0-30°  UGR <19



code	colour	base	W
214-1100000	<input checked="" type="checkbox"/>	1xGU10	max. 1x50W

## EYE R round

HEP  LUMINUS LED  CRI 90+

 LUMINUS LED  60°  230V AC  IP20  350mA  DALI  Ø 105  350°  0-30°  5-25  UGR <19



code	colour	source	W	K	lm
239-1200936	<input type="checkbox"/>	LED	15W	3000K	1270lm
239-1200946	<input type="checkbox"/>	LED	15W	4000K	1370lm
239-2200936	<input checked="" type="checkbox"/>	LED	15W	3000K	1270lm
239-2200946	<input checked="" type="checkbox"/>	LED	15W	4000K	1370lm

\*dimmable driver available on request

### Available accessories



GU10 bulb



DALI dimmable driver



**SPY / HIDE**  
RECESSED LAMPS



## HIDE R mini round


230V AC IP20 1x GU10 83 3-360° 0-30° 5-25 UGR <19



code	colour	base	W
217-2200000	■	1xGU10	max. 1x50W

## SPY R round

12V AC/DC IP20 1x G53 142 360° 0-30° 5-25 UGR <19



code	colour	base	W
219-1100000	□	1xGU10	max. 1x50W

## FINGER R single

PHILIPS LED CRI 90+ 15-36° 230V AC IP20 200mA 2xG4 60 0-90° 5-25 UGR <19




code	colour	source	W	K	lm
212-120093Z	■	LED	1x7W	3000K	400lm
212-120094Z	■	LED	1x7W	4000K	420lm

\*dimmable driver available on request

## EYE R semi round

HEP DRIVER LUMINUS LED CRI 90+ 60° 230V AC IP20 350mA 2xG4 72-75 355° 0-90° 5-25 UGR <19



code	colour	source	W	K	lm
240-1200936	□	LED	15W	3000K	1270lm
240-1200946	□	LED	15W	4000K	1370lm
240-2200936	■	LED	15W	3000K	1270lm
240-2200946	■	LED	15W	4000K	1370lm

\*dimmable driver available on request


### Available accessories



GU10 bulb




DALI dimmable driver






## CUP R mini round



code	colour	source	W	K	lm
233-1100934	<input checked="" type="checkbox"/>	LED	1x3W	3000K	185lm
233-1200934	<input checked="" type="checkbox"/>	LED	1x3W	3000K	185lm
233-1300934	<input checked="" type="checkbox"/>	LED	1x3W	3000K	185lm
233-1100944	<input checked="" type="checkbox"/>	LED	1x3W	4000K	195lm
233-1200944	<input checked="" type="checkbox"/>	LED	1x3W	4000K	195lm
233-1300944	<input checked="" type="checkbox"/>	LED	1x3W	4000K	195lm

\*dimmable driver available on request

## CUP R round



code	colour	source	W	K	lm
234-1100934	<input checked="" type="checkbox"/>	LED	1x10W	3000K	835lm
234-1200934	<input checked="" type="checkbox"/>	LED	1x10W	3000K	835lm
234-1300934	<input checked="" type="checkbox"/>	LED	1x10W	3000K	835lm
234-1100944	<input checked="" type="checkbox"/>	LED	1x10W	4000K	850lm
234-1200944	<input checked="" type="checkbox"/>	LED	1x10W	4000K	850lm
234-1300944	<input checked="" type="checkbox"/>	LED	1x10W	4000K	850lm

\*dimmable driver available on request


### Available accessories



DALI dimmable driver




PAN R mini



code	colour	source	W	K	lm
235-1100839	☐	LED	1x5W	3000K	455lm
235-1200839	▣	LED	1x5W	3000K	455lm
235-1300839	▤	LED	1x5W	3000K	455lm
235-1100849	☐	LED	1x5W	4000K	475lm
235-1200849	▣	LED	1x5W	4000K	475lm
235-1300849	▤	LED	1x5W	4000K	475lm

\*dimmable driver available on request


PAN R midi



code	colour	source	W	K	lm
236-1100839	☐	LED	1x15W	3000K	1400lm
236-1200839	▣	LED	1x15W	3000K	1400lm
236-1300839	▤	LED	1x15W	3000K	1400lm
236-1100849	☐	LED	1x15W	4000K	1425lm
236-1200849	▣	LED	1x15W	4000K	1425lm
236-1300849	▤	LED	1x15W	4000K	1425lm

\*dimmable driver available on request

PAN R maxi



code	colour	source	W	K	lm
237-1100839	☐	LED	1x25W	3000K	2345lm
237-1200839	▣	LED	1x25W	3000K	2345lm
237-1300839	▤	LED	1x25W	3000K	2345lm
237-1100849	☐	LED	1x25W	4000K	2375lm
237-1200849	▣	LED	1x25W	4000K	2375lm
237-1300849	▤	LED	1x25W	4000K	2375lm

\*dimmable driver available on request

Available accessories




DALI dimmable driver



**FINGER / BARELL**  
CEILING LAMPS




## BARELL C mini




code	colour	base	W
301-1200000	■	1xGU10	max. 1x50W

## EYE C semi round




code	colour	source	W	K	lm
317-1200936	□	LED	15W	3000K	1270lm
317-1200946	□	LED	15W	4000K	1370lm
317-2200936	■	LED	15W	3000K	1270lm
317-2200946	■	LED	15W	4000K	1370lm

## FINGER C single



code	colour	source	W	K	lm
310-120093Z	■	LED	1x7W	3000K	400lm
310-120094Z	■	LED	1x7W	4000K	420lm

## FINGER C duo



code	colour	source	W	K	lm
311-120093Z	■	LED	2x7W	3000K	800lm
311-120094Z	■	LED	2x7W	4000K	840lm

Available accessories



GU10 bulb




**CUBO / BOX**  
CEILING LAMPS



## CUBO C mini

CITIZEN  
LED  
CRI 85+


CITIZEN LED 50° 230V AC IP44 250mA 200x UGR <19



code	colour	source	W	K	lm
302-1200835	■	LED	1x10W	3000K	1000lm

## BOX C mini square


1x GU10 230V AC IP20 ±30°



code	colour	base	W
303-1100000	■	1xGU10	max. 1x50W

## BOX C single


1x G53 230V AC IP20 12V AC 200x ±30°



code	colour	base	W
304-1100000	■	1xG53/AR111	max. 1x75W
304-2200000	■	1xG53/AR111	max. 1x75W

## BOX C duo

2x G53 230V AC IP20 12V AC 200x ±30°



code	colour	base	W
305-1100000	■	2xG53/AR111	max. 2x75W
305-2200000	■	2xG53/AR111	max. 2x75W

### Available accessories



GU10 bulb




G53/AR111 bulb



**LINE C**  
CEILING LAMPS




## LINE C mini




code	colour	source	W	K	lm
314-1100830-DA	□	LED	28W	3000K	2490lm
314-2200830-DA	■	LED	28W	3000K	2490lm
314-1100840-DA	□	LED	28W	4000K	2720lm
314-2200840-DA	■	LED	28W	4000K	2720lm

## LINE C midi



code	colour	source	W	K	lm
313-1100830-DA	□	LED	37W	3000K	3320lm
313-2200830-DA	■	LED	37W	3000K	3320lm
313-1100840-DA	□	LED	37W	4000K	3620lm
313-2200840-DA	■	LED	37W	4000K	3620lm

## LINE C maxi




code	colour	source	W	K	lm
312-11200830-DA	□	LED	55W	3000K	4970lm
312-2200830-DA	■	LED	55W	3000K	4970lm
312-11200840-DA	□	LED	55W	4000K	5430lm
312-2200840-DA	■	LED	55W	4000K	5430lm

Available accessories



Bluetooth dimming set




**LINE H**  
SUSPENDED LAMPS

## LINE H mini




code	colour	source	W	K	lm
603-1195830-DA	□	LED	28W	3000K	2490lm
603-2296830-DA	■	LED	28W	3000K	2490lm
603-1195840-DA	□	LED	28W	4000K	2720lm
603-2296840-DA	■	LED	28W	4000K	2720lm

## LINE H midi



code	colour	source	W	K	lm
603-1195830-DA	□	LED	37W	3000K	3320lm
603-2296830-DA	■	LED	37W	3000K	3320lm
603-1195840-DA	□	LED	37W	4000K	3620lm
603-2296840-DA	■	LED	37W	4000K	3620lm

## LINE H maxi



code	colour	source	W	K	lm
601-1195830-DA	□	LED	55W	3000K	4970lm
601-2296830-DA	■	LED	55W	3000K	4970lm
601-1195840-DA	□	LED	55W	4000K	5430lm
601-2296840-DA	■	LED	55W	4000K	5430lm

Available accessories



Bluetooth dimming set




**EYE / STICK**  
TRACK LAMPS



## EYE T midi

POWERGEAR<sup>®</sup> LUMINUS LED CRI 90+

LUMINUS LED 36° 230V AC IP20 500mA 0° 0-90°




code	colour	source	W	K	lm
401-1200933	☐	LED	1x20W	3000K	1480lm
401-2200933	■	LED	1x20W	3000K	1480lm
401-1200943	☐	LED	1x20W	4000K	1600lm
401-2200943	■	LED	1x20W	4000K	1600lm

## STICK T

POWERGEAR<sup>®</sup> CITIZEN LED CRI 90+

CITIZEN LED 38° 230V AC IP20 500mA 0° 360°




code	colour	source	W	K	lm
402-1200933	☐	LED	1x21W	3000K	1940lm
402-2200933	■	LED	1x21W	3000K	1940lm
402-1200943	☐	LED	1x21W	4000K	2100lm
402-2200943	■	LED	1x21W	4000K	2100lm

## TUBE T

POWERGEAR<sup>®</sup> CITIZEN LED CRI 90+

SAMSUNG LED 45° IP20 230V AC 750mA 0° 360° 0-45°



code	colour	source	W	K	lm
403-1100934	☐	LED	1x30W	3000K	2910lm
403-2200934	■	LED	1x30W	3000K	2910lm
403-1100944	☐	LED	1x30W	4000K	3150lm
403-2200944	■	LED	1x30W	4000K	3150lm



**LINE T**  
TRACK LAMPS

## LINE T flat

OSRAM  
SAMSUNG  
LED  
CRI 90+

SAMSUNG LED 90° 230V AC IP20 700mA 700mA 700mA 700mA



code	colour	source	W	K	lm
404-1100939	□	LED	30W	3000K	2120lm
404-2200939	■	LED	30W	3000K	2120lm
404-1100949	□	LED	30W	4000K	2300lm
404-2200949	■	LED	30W	4000K	2300lm

## LINE T adjust

OSRAM  
SAMSUNG  
LED  
CRI 90+

SAMSUNG LED 58x90° 230V AC IP20 700mA 700mA 700mA 700mA ±50°




code	colour	source	W	K	lm
405-1200939	▣	LED	30W	3000K	2500lm
405-2200939	■	LED	30W	3000K	2500lm
405-1200949	▣	LED	30W	4000K	2700lm
405-2200949	■	LED	30W	4000K	2700lm

## FLAT T

CRI 80+


LED 90° 230V AC IP20 2000mA 2000mA 2000mA 2000mA





code	colour	source	W	K	lm
409-1100839	▣	LED	70W	3000K	8550lm
409-1100849	▣	LED	70W	3000K	9130lm
409-2200839	■	LED	70W	4000K	8550lm
409-2200849	■	LED	70W	4000K	9130lm

## FLAT T adjust

LED 36/90° 230V AC IP20 1250mA 1250mA 1250mA 1250mA 0-130°




code	colour	source	W	K	lm	angle
410-1100833	▣	LED	44W	3000K	5300lm	36°
410-1100843	▣	LED	44W	4000K	5270lm	36°
410-1100839	▣	LED	44W	3000K	5620lm	90°
410-1100849	▣	LED	44W	4000K	5560lm	90°
410-2200833	■	LED	44W	3000K	5300lm	36°
410-2200843	■	LED	44W	4000K	5270lm	36°
410-2200839	■	LED	44W	3000K	5620lm	90°
410-2200849	■	LED	44W	4000K	5560lm	90°



**TRACK**  
LAMPS





\* POWER GEAR compatible

# MATERIAL AND COLOURS

OPTIONAL VENEERING AND COLOURS OF DECORATIVE LAMPS



maple



birch



oak



cherry




walnut



palisander




black walnut




black/oak



white/oak




black/black walnut



white/ash

# MATERIAL AND COLOURS

OPTIONAL COLOURS OF ARCHITECTURAL LAMPS



black



gray




white




red




gold



metallic blue



white/gray



black/white



black/gold




black/red

































black/white

# PRODUCT CODE

## EXAMPLE OF CODIFICATION



# SYMBOLS

	built in LED module		operating voltage 230V AC
	LED driver brand - OSRAM		operating voltage 12V DC
	LED chip brand - CREE		IEC protection class I
	nr. and type of lamp socket bulb included		IEC protection class II
	nr. and type of lamp socket bulb not included		IEC protection class III
	beam angle		ingress protection code IP
	back light/indirect		indoor use
	unified glare rating		indoor use
	tunable white/CCT		round mounting hole/cutout diameter in mm
	color rendering index		rectangular mounting hole/cutout in mm
	transformer/driver not included		rotatable about a vertical axis up to 360°
	transformer/driver included LED driving current 700mA		max. horizontal inclination angle 45°
	non dimmable lamp/driver		mounting material thickness
	dimmmable lamp/driver DALI and PUSH		
	dimmmable lamp/driver 0-10V / 1-10V analog		
	dimmmable lamp/driver phase-cut		
	dimmmable lamp/driver touch sensor		





